

INDEX MAPS.

T. 10N, R. 11E. 2nd Mer.

	73	73	73	72	72	71						
75	6	100	5	95	4	92	3	88	2	87	1	71
	100		99		94		92	89	88		87	
75	7	99	8	94	9	91	10	86	11	87	12	71
	99		98		94		91	86	86-85		85	
75	18	98	17	93	16	91	15	85	14	84	13	70
	97		97		93		91	84	84		80	
74	19	97	20	92	21	90	22	82	23	79	24	69
	96		96		90		90-83		81		79	77
74	30	96	29	89	28		27	81	26		25	69
	95		95		89-83		83	82	80-77		77	
74	31	95	32	89	33	82	34	78	35	76	36	69
	69		68		68		78	67	67		67	

T. 11N, R. 11E. 2nd Mer.

	109		109		108		108		107		107	
112	6	134	5	128	4	124	3	122	2	119	1	107
	134		133		128		124		122		118	
111	7	133	8	128	9	124	10	121	11	117	12	106
	133		132		127		123		121		117	
111	18	132	17	127	16	123	15	121	14	116	13	106
	132		131		127		123		121-116		116	
110	19	131	20	126	21	122	22	121	23	115	24	106
	130		130		126		120-114	114	115		115	
110	30	130	29	126	28	120	27	114	26	113	25	105
	129		129		125		119	113	113		112	
109	31	129	32	125	33	119	34	113	35	112	36	105
	105		104		104		103		103		103	

The figures on the lines refer to the page.

South Boundary. Oct. 10th 1810

West On S. boundary of Sec. 36 var. 5.45!

26.00 a Sweet Gum 15 in. diam.

40.00 Set q. Sec. post, from which
a Beech 18 in. diam. bray N 79 W 21 lks. dist. &
a Do. 10 " " " S 60 E 29 " "

52.50 a Brook 3 lks. wide Course N.

68.50 a W. Oak 40 in. diam.

80.00 Set post Cor. to Sec. 35 & 36, from which
a W. Oak 36 in. diam. bray S 31 W 15 lks. dist. &
a Beech 13 " " " N 14 E 30 " "
Level Beech land very good.

West On S. boundary of Sec. 35

22.50 a Brook 3 lks. wide Course N.

35.00 a Do. 3 lks. " " N.

40.00 Set q. Sec. post, from which
a Beech 8 in. diam. bray N 24 E 8 lks. dist. &
a Do. 16 " " " S 84 W 20 " "

55.20 a Beech 16 " "

66.50 a Brook 10 lks. wide Course N.W.

80.00 Set post Cor. to Sec. 34 & 35, from which
a Sugar 15 in. diam. bray N 64 W 12 lks. dist. &
a Beech 18 " " " N 73 E 42 " "
Broken land, poor, timber Beech, Sugar &c

West On S. boundary of Sec. 34

20.00 a Creek 100 lks. wide Course N.

30.30 Intersected the Indian boundary line 8.90 lks. N.
of a Sassafras marked for 5th mile tree. Set post
at intersection, from which
a Beech 18 in. diam. bray S 29 E 12 lks. dist. &
a Do. 18 " " " N 57 W 23 " "
Broken Beech land—

Alexander Holmes, L. S.

40.00 Set q. Sec. post, from, which

T.M.N. P.M.E. 2nd Mer. Indiana

ch. lks.

a Beech 8 in. diam. - bear S 85 E 12 lks. dist. of
 a Do. 20 " " " N 35 W 23 " "
 80.00 Set post Cor. to Sec. 33 of 34, from which
 a Beech 21 in. diam. - bear N 65 E 5 lks. dist. of
 a Do. 12 " " " S 22 W 43 " "
 (description of land &c. Omitted)

Met On S. boundary of Sec. 33

11.21 a Beech 33 in. diam.

16.00 a Branch 4 lks. wide Course N.

26.00 a Do. 4 " " " N.

30.00 a Do. 3 " " " N.

40.00 Set of. Sec. post from which

a Sugar 8 in. diam. - bear S 11 W 32 lks. dist. of

a Beech 4 " " " N 30 W 11 " "

40.25 a Creek 70 lks. wide Course S. W.

57.00 a Branch 4 " " " South

75.65 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 32 of 33, from which

a Beech 15 in. diam. - bear S 31 W 15 lks. dist. of

a Do. 8 " " " N 5 W 23 " "

Broken land, timber Beech &c.

Met On S. boundary of Sec. 32

11.00 a Branch 4 lks. wide Course N.E.

16.00 a Do. 3 " " " N.

25.00 a Do. 6 " " " N.E.

40.00 Set of. Sec. post, from which

a Beech 18 in. diam. - bear N 32 W 26 lks. dist. of

a Do. 5 " " " S 57 E 10 " "

45.87 a Beech 22 " "

51.00 a Branch 5 lks. wide Course N.W.

58.00 a Do. 5 " " " N.

78.00 a Creek 60 lks. wide Course N.E.

80.00 Set post Cor. to Sec. 31 of 32, from which

a Beech 10 in. diam. - bear N 78 E 24 lks. dist. of

105

M. N. P. M. E. D. Mer. Indiana

Ch. Lks.

a Beech 21 in. diam. bray S 75 W 26 lks. dist. 8
Sand timber &c. same as on the last mile

Nest On S. boundary of Sec. 31

10.00 a Branch 4 lks. wide Course S.

22.00 a Do. 6 " " " S.

40.00 Set of Sec. post, from which
a Beech 6 in. diam. bray N 18 W 6 lks. dist. 8
a Do. 10 " " " S 56 E 5 " "

58.66 Intersected the Town Corner

Sand 2^d. rate, timber Beech &c. undergth Spice
June 17th 1819. John M. Donald, D.S.

East Boundary.

var. 5.45!

North On E. boundary of Sec. 36

22.00 a Brook 3 lks. wide Course E.

40.00 Set of Sec. post, from which
a Beech 12 in. diam. bray S 57 W 7 lks. dist. 8
a Sugar 12 " " " N 22 E 21 " "

43.00 a ——— N.W.

80.00 Set post Cor. to Sec. 25 & 36, from which
an Ash 24 in. diam. bray S 61 W 18 lks. dist. 8
a Beech 12 " " " N 65 E 22 " "
Broken Beech land

North On E. boundary of Sec. 25

10.00 a Creek 10 lks. wide Course N.E.

11.50 a Sugar 16 in. diam.

20.00 (the same) Creek Course N.W.

24.00 (the same) Do. " " N.E.

40.00 Set of Sec. post, from which
a W. Oak 18 in. diam. bray N 32 E 25 lks. dist. 8
a Gum 8 " " " S 60 E 30 " "

51.50 a Brook 4 lks. wide Course E.

78.00 a Do. 3 " " " E.

80.00 Set post Cor. to Sec. 24 & 25, from which

T.M.N. R.M.E. 2^d Mer. Indiana
ch. lkr.

a W. Oak 16 in. diam. bear S 10 W 18 lkr. dist. 4
a Dogw. 4 " " " N 10 E 11 " "
First half rich - last half hilly, timber Sugar,
Oak & ash.

North On E. boundary of Sec. 24

20.00 a Brook 3 lkr. wide Course E.

40.00 Set of Sec. post, from which

a Beech 14 in. diam. bear N 33 W 6 lkr. dist. 4

a Do. 6 " " " S 3 E 16 " "

54.00 a Brook 3 lkr. wide Course N.E.

80.00 Set post Cor. to Sec. 13 of 24, from which

a Sugar 16 in. diam. bear N 61 E 15 lkr. dist. 4

a Do. 14 " " " S 84 W 35 " "

Land hilly, rich, timber Oak, Beech & Sugar.

North On E. boundary of Sec. 13

6:00 a Creek 50 lkr. wide Course E.

15.00 a Brook 3 " " " S.W.

22.00 a Do. 3 " " " S.E.

37.00 a Do. 3 " " " S.W.

40.00 Set of Sec. post, from which

a W. Oak 36 in. diam. bear South 11 lkr. dist. 4

a Beech 12 " " " N 18 E 35 " "

58.00 a Brook 10 lkr. wide Course E.

66.25 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 12 & 13, from which

a Beech 12 in. diam. bear N 68 E 11 lkr. dist. 4

a Do. 12 " " " S 5 E 28 " "

Land hilly, timber Oak, Beech &c.

North On E. boundary of Sec. 12

2.00 a Brook 10 lkr. wide Course E.

14.25 a W. Oak 36 in. diam.

39.50 a Brook 3 lkr. wide Course E.

40.00 Set of Sec. post, from which

SNK RNE. D. Mer. Indiana

107

Ch. 1/2 lkr.

a Gum 18 in. diam. bear N12E 9 lkr. dist. 4

a Beech 24 " " " S58 E 13 " "

46.00 a Brook 4 lkr. wide Course E.

55.00 a Do. 10 " " " E.

80.00 Set post Cor. to Sec. 1 & 12, from which

a Beech 16 in. diam. bear S30 E 24 lkr. dist. 4

a Do. 16 " " " N70 W 23 " "

Hilly land, timber Oak, Beech &c.

North On E. boundary of Sec. 1

20.00 a Brook 6 lkr. wide Course E.

20.50 a Beech 16 in. diam.

33.00 a Brook 3 lkr. wide Course E.

40.00 Set q. Sec. post, from which

a Poplar 12 in. diam. bear S20 W 4 lkr. dist. 4

a Beech 14 " " " N6 W 31 " "

56.00 a Brook 3 lkr. wide Course E.

69.37 a P. Oak 36 in. diam.

80.00 Set post Cor. to Township N612 North, off Range

N612 East, from which

a Sugar 10 in. diam. bear S51 E 21 lkr. dist. 4

a Do. 15 " " " S32 W 35 " "

Land good timber Beech, Sugar &c.

North Boundary var. 5.45 E.

West On S. boundary of Sec. 36, S12 N, RNE.

26.25 a W. Oak 50 in. diam.

40.00 Set q. Sec. post, from which

a Beech 13 in. diam. bear S34 E 12 lkr. dist. 4

a Maple 24 " " " N30 W 31 " "

80.00 Set post Cor. to Sec. 35, 36, S12 N, RNE, from which

a Sugar 8 in. diam. bear S29 W 3 lkr. dist. 4

a Beech 9 " " " N3 E 30 " "

Flat land, timber Beech, Sugar &c.

West On S. boundary of Sec. 35, S12 N, RNE

T.M.N.P.M.E. 2nd Mer. Indiana

ch. lky.

33.68 Intersected the Boundary line, set post, from which
 a Beech 20 in. diam. - bear N 81 W 17 lks. dist. &
 a No. 15 " " " N 54 E 34 " "
 Flat Beech land. Oct. 9th 1870

Alexander Holmes, U. S.

July 13th 1879 - variation 6° 10' E.

40.00 Set q. sec. post, from which
 a Beech 12 in. diam. - bear S 53 E 17 lks. dist. &
 a No. 10 " " " N 70 W 6 " "

60.00 a Maple 12 " "

80.00 Set post Cor. to Sec. 34 & 35, T12 N, R11 E, from which
 a Beech 10 in. diam. - bear S 59 E 16 lks. dist. &
 a No. 7 " " " N 80 W 26 " "
 Level land, timber Beech, Maple, Elm &c, under g. Spruce

West On S. boundary of Sec. 34, T12 N, R11 E.

35.00 a Creek 40 lks. wide Course S. E.

40.00 Set q. sec. post, from which
 a Beech 27 in. diam. - bear N 64 W 11 lks. dist. &
 a Poplar 60 " " " S 30 E 36 " "

53.85 a Beech 15 " "

80.00 Set post Cor. to Sec. 33 & 34, T12 N, R11 E, from which
 a Beech 6 in. diam. - bear S 35 E 15 lks. dist. &
 a No. 7 " " " N 56 W 18 " "
 Land Broken, Beech, Poplar &c.

West On S. boundary of Sec. 33, T12 N, R11 E.

13.00 a Branch 15 lks. wide Course S. E.

15.75 a Beech 12 in. diam.

24.75 a Branch - lks. wide Course S. E.

40.00 Set q. sec. post, from which
 a Beech 18 in. diam. - bear S 61 E 18 lks. dist. &
 a No. 6 " " " S 82 W 10 " "

44.60 a Branch 5 lks. wide Course S. E.

53.40 a Beech 15 in. diam.

72.40 a Branch 8 lks. wide Course S. E.

SM. N. R. N. E. 2^d Mer. Indiana

ch. l. l.

74.90 Same branch N.E.

78.40 Same do. S. E.

80.00 Set post Cor. to Sec. 32 & 33, T12 N. R. N. E. from which
a Sugar 21 in. diam. bray S64 E 8 l. dist. &
a Beech 6 " " " S39 W 3 " "
Broken land, timber Beech, Poplar, Sugar &c.
undergrowth Spice

West On S. boundary of Sec. 32, T12 N. R. N. E.

00.60 Same branch (above) N.E.

2.60 Same do. S. E.

40.00 Set q. Sec. post from which
an Ash 9 in. diam. bray S53 W 5 l. dist. &
a Beech 9 " " " N46 E 20 " "

55.90 an Ash 18 " " "

58.40 a Branch 4 l. wide Course S. E.

80.00 Set post Cor. to Sec. 31 & 32, T12 N. R. N. E. from which
an Ash 7 in. diam. bray N75 W 11 l. dist. &
a Dogwood 4 " " " N46 E 9 " "
Gently rolling, timber Beech, Sugar, undg. Spice

West On S. boundary of Sec. 31, T12 N. R. N. E.

20.85 at Beech 27 in. diam.

40.00 Set q. Sec. post from which
a Maple 18 in. diam. bray N59 W 3 l. dist. &
a Beech 6 " " " S39 E 34 " "

52.88 Intersected the Range line 14.50 ch. South of camp
post - Set post Cor. to Township 11 & 12 North
Range, 10 & 11 East, from which
a Hackberry 24 in. diam. bray N70 W 14 l. dist. &
a Water Beech 9 " " " S79 E 11 " "
Gently rolling good farming land, timber Beech
Ash, Elm &c. undg. Spice

West Boundary

var. 7.00' E.

North On E. boundary of Sec. 36, T11 N. R. 10 E.

T.M.N. R11 E. 2.nd Mer. Indianach² lth.

- 4.00 a Branch 5 lth, wide Course N.W.
 40.00 Set q^r. Sec. post, from which
 a Beech 15 in. diam., bran N 67 W 24 lth, dist. 1/2
 a Do. 10 " " " S 37 E 29 " "
 41.88 a Beech 15 " "
 58.00 a Branch 4 lth, wide Course N—
 62.50 a Poplar 36 in. diam.
 71.00 a Branch 12 lth, wide Course S.W.
 80.00 Set post Cor. to Sec. 25 of 36, T.M.N. R10 E, from which
 a Beech 15 in. diam., bran S 61 W 4 lth, dist. 1/2
 an Ash 20 " " " N 77 E 19 " "
 Broken land, timber Beech, Poplar, Ash &c. Spruce under.

North On E. boundary of Sec. 25, T.M.N. R10 E.

- 4.50 a Creek 20 lth, wide Course S.E.
 9.14 a Beech 24 in. diam.
 15.50 a Branch 4 lth, wide Course S.W.
 22.00 a Do. 4 " " " S.E.
 27.72 a W. Oak 48 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 30 in. diam., bran S 65 E 20 lth, dist. 1/2
 a Do. 10 " " " N 38 E 10 " "
 53.00 a Branch 4 lth, wide Course S.W.
 62.57 a Poplar 40 in. diam.
 64.50 a Branch 4 lth, wide Course S.E.
 68.00 a Do. 6 " " " S.E.
 80.00 Set post Cor. to Sec. 24 & 25, T.M.N. R10 E, from which
 a Poplar 30 in. diam., bran West 30 lth, dist. 1/2
 a Beech 18 " " " S 78 E 12 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T.M.N. R10 E.

- 20.66 a Beech 18 in. diam.
 28.00 a Branch 4 lth, wide Course N.E.
 32.00 a Do. 6 " " " N.E.
 40.00 Set q^r. Sec. post, from which

T^h N. R. 11 E. 2^d Mer. Indiana

ch. lks

North On E. boundary of Sec. 1, T^h N. R. 11 E.

34.50 a Branch 5 lks. wide Course E.

40.00 Set g^r. Sec. post, from which
an Oak 10 in. diam. bray S 59^o 7 lks. dist. &
an Elm 12 " " " N 74^o E 8 " "80.00 Set temp^y. post(Description of land &c. Omitted) June 17th 1819

John M. McDonald

Deputy Surveyor

Subdivision.

North Between Sec^s. 35 & 36, T^h N. R. 11 E.23.60 a watercourse 5 lks. wide run N 20^o W

31.02 a Beech 13 in. diam. in the line

40.00 Set g^r. Sec. post, from which
a Sugar 10 in. diam. bray N 80^o W 9 lks. dist. &
a B. Oak 30 " " " S 50^o E 38 " "44.50 a watercourse 12 lks. wide run N 20^o E.49.00 a Stream 120 lks. wide Course N 75^o E

70.70 a Blue Ash 18 in. diam. in the line

80.00 Set post Cor. to Sec^s. 25, 26, 35 & 36, from which
a Beech 20 in. diam. bray S 84^o W 42 lks. dist. &
a No. 16 " " " East 6 " "
Over steep points of hills 3^d rate land, timber
Oak, Beech, Poplar, Sugar &c.East On Rand^m. between Sec^s. 25 & 36

4.50 a watercourse — lks. wide run South

40.00 Set temp^y. g^r. Sec. post76.50 a Creek 150 lks. wide Course N 45^o E (Salt Creek)78.72 Intersected E. boundary 69 lks. N. of post
Land hilly, 3^d rate, timber BeechWest Corrected between Sec^s. 25 & 3639.36 Set g^r. Sec. post at average dist. by the side
of a Beech tree 14 in. diam. Marked for g^r. Sec. Cor.

St. R. & E. 2^d. Mer. Indiana

113

ch. 1/4.

78.72 to Sec. Corner.

North Between Secs. 34 & 35

15.75 a Sugar 15 in. diam. in the line

30.50 a Creek 10 lks. wide run East (Salt Creek)

40.00 Set q. sec. post, from which

a Beech 12 in. diam. bear North 29 lks. dist. &

a do. 15 " " " S 74 E 21 " "

55.60 a watercourse 25 lks. wide run East

57.80 a W. Ash 18 in. diam. in the line

80.00 Set post cor. to Secs. 26, 27, 34 & 35, from which

a W. Ash 20 in. diam. bear N 18 W 8 lks. dist. &

a do. 18 " " " N 60 E 29 " "

Over hilly 3^d rate land, Oak, Beech, Poplar & Ash.

West Between Secs. 27 & 34

17.37 Intersected boundary line, set post, from which

a Beech 12 in. diam. bear N 46 W 10 lks. dist. &

a do. 12 " " " N 24 E 22 " "

Over hilly 3^d rate, timber Oak, Beech & Poplar

East On Rand. between Secs. 26 & 35

12.17 a watercourse 25 lks. wide run South

40.00 Set temp. q. sec. post

79.40 Intersected the N & S. line 17 lks. S. of post

Land timber &c. same as on the last mile

West Corrupted between Secs. 26 & 35

39.75 Set q. sec. post, at average dist. from which

a Beech 14 in. diam. bear S 44 W 10 lks. dist. &

a do. 20 " " " S 65 E 11 " "

79.40 to Sec. Corner

North Between Secs. 25 & 26

6.30 a S. Oak 15 in. diam. in the line

40.00 Set q. sec. post, from which

S. M. N. S. M. E. 2nd Mer. Indianach 2th

a Sugar 10 in. diam., bear N 50 W 34 lks. dist. of
 a Beech 6 " " " N 75 E 33 " "
 59.18 a Beech 12 " " in the line
 80.00 Set post Cor. to Secs. 23, 24, 25 of 26, from which
 a Beech 10 in. diam., bear N 54 E 23 lks. dist. of
 a Do. 24 " " " N 64 W 27 " "
 This mile, the whole distance, near a watercourse
 frequently crossing the same, runs South
 timber Oak, Beech, Poplar

North Between Secs. 26 of 27

13.90 a Poplar 36 in. diam., in the line
 20.00 a run 25 lks. wide Course E.
 40.00 Set q^r. Sec. post, from which
 a Beech 10 in. diam., bear N 58 E 27 lks. dist. of
 a Sugar 15 " " " N 75 W 24 " "
 40.95 a Sugar 18. " " in the line
 56.75 a watercourse 12 lks. wide run N 20 E.
 80.00 Set post Cor. to Secs. 22, 23, 26 of 27, from which
 a Beech 16 in. diam., bear N 43 E 21 lks. dist. of
 a Do. 12 " " " N 26 E 26 " "
 Over hilly 3rd rate land, timber Oak, Beech, Poplar &c.

West Between Secs. 22 of 27

4.20 Intersected the Boundary line, Set post from which
 a Beech 18 in. diam., bear N 51 E 29 lks. dist. of
 a W. Oak 60 " " " West 15 " "
 Over hilly 3rd rate land,

North Between Secs. 22 of 23

15.00 a Beech 14 in. diam., in the line
 29.28 Intersected the boundary line, Set post, from which
 a Beech 15 in. diam., bear N 40 E 14 lks. dist. of
 a Gum 12 " " " N 21 W 13 " "
 Over level thin land, Oak, Beech, Pop. & Sugar

M.N. N.E. 2nd Mer. Indiana

115

ch. lky.

East On Rand^m. between Sec^s. 23 & 26

15.25 a Watercourse 13 lky. wide runs S 20 E.

40.00 Set temp^y. q^r. Sec. post

54.00 a Watercourse 10 lky. wide runs S. E.

79.60 Intersected the N & S. line 7 lky. N. of post
Broken, hilly, 3rd rate land timber Oak,
Buck, Poplar &c.

West On true line between Sec^s. 23 & 26

39.80 Set q^r. Sec. post at average dist. from which
a Beech 10 in. diam^r. bears S 80 W 31 lky. dist. of
a Do. 10 " " " N 37 W 11 " "

79.60 to Sec. Corner.

East On Rand^m. between Sec^s. 24 & 25

7.50 a watercourse 9 lky. wide runs S. W.

40.00 Set temp^y. q^r. Sec. post

57.00 a small watercourse runs S. E.

79.70 Intersected the E. boundary 66 lky. N. of post
Over hilly 3rd rate land, Oak, Buck & Poplar

West Corrected between Sec^s. 24 & 25

39.85 Set q^r. Sec. post at average dist. from which
a W. Oak 12 in. diam^r. bears N 72 W 27 lky. dist. of
a Do. 18 " " " N 64 E 23 " "

79.70 to Sec. Corner.

North Between Sec^s. 23 & 24

6.00 a Poplar 30 in. diam^r. in the line

25.10 a Watercourse 8 lky. wide runs E.

40.00 Set q^r. Sec. post, from which

a Beech 10 in. diam^r. bears N 56 W 10 lky. dist. of
a Poplar 36 " " " South " "

45.10 a Watercourse 15 lky. wide runs S 45 E.

68.00 a Beech 10 in. diam^r. in the line

80.00 Set post Cor. to Sec^s. 13, 14, 23 & 24, from which

S. N. R. M. E. 2nd Mer. Indiana

ch. lhr.

a Sugar 18 in. diam. bay N 78 W 9 lhr. dist. of
 a Beech 15 " " " S 60 E 20 " "
 Sand timber &c. Same as on the last mile

East On Land^m between Sec. 13 & 24

11.00 a run 50 lhr. wide run S 74 E.

40.00 Set temp. q. Sec. post

45.50 a watercourse 50 lhr. wide run N. W.

80.06 Intersected the E. boundary 12 lhr. N. of post
 Sand timber &c. Same as on last mile

West Corrected between Sec. 13 & 24

40.03 Set q. Sec. post at average dist. from which
 a W. Oak 15 in. diam. bay East 5 lhr. dist. of
 a Hickory 24 " " " N 81 W 18 " "

80.06 to Sec. Corner

West Between Sec. 14 & 23

12.25 at Beech 18 in. diam. in the line

30.00 a watercourse 15 lhr. wide run N

40.00 Set q. Sec. post, from which

a Beech 20 in. diam. bay N 22 E 14 lhr. dist. of
 a Sugar 12 " " " S 21 W 27 " "

48.50 a Beech 14 " " in the line

55.25 a run 30 lhr. wide run N. E.

71.41 Intersected the Boundary line, Set post from which
 a Beech 14 in. diam. bay S 20 E 7 lhr. dist. of
 a Do. 6 " " " N 46 E 12 " "
 Over very hilly 3rd rate land, timber Oak,
 Beech, Sugar, Poplar &c.

North Between Sec. 13 & 14

6.75 a creek 50 lhr. wide run S. E.

26.30 a B. Oak 15 in. diam. in the line

40.00 Set q. Sec. post, from which

a W. Oak 10 in. diam. bay N 56 E 16 lhr. dist. of

T.M.N. R.M.E. 2nd Mer. Indiana

Ch. Lk.

a W. Oak 20 in. diam. - bear S 8 E 13 Lk. dist. 5
42.00 a Creek 25 Lk. wide Course S 16 W.
53.15 Same Creek run S 16 E
80.00 Set post Cor to Sec. 11, 12, 13 & 14, from which
a Sycamore 5 in. diam. - bear N 47 W 10 Lk. dist. 5
a Lk. 8 " " " S 62 W 41 " "
This corner is in a creek 30 Lk. wide. Over hilly 3rd.
rate land, timber, Oak, Beech, Sugar, and Poplar.

West Between Sec. 11 & 14
26.40 a Poplar 30 in. diam. in the line
40.00 Set q^r. Sec. post, from which
a Gum 15 in. diam. - bear N 40 W 13 Lk. dist. 5
at Beech 20 " " " N 79 E 7 " "
58.35 Intersected the boundary line & set post, from which
at Beech 12 in. diam. - bear N 29 E 26 Lk. dist. 5
a Lk. 10 " " " S 11 E 17 " "
Over hilly 3rd. rate land, timber Oak, Beech,
Poplar & Sugar tree.

East On Land^m. between Sec. 12 & 13
28.15 a watercourse 10 Lk. wide run S.
40.00 Set temp. q^r. Sec. post
60.02 a watercourse 8 Lk. wide run N. E.
80.16 Intersected the E. boundary 63 Lk. N. of post
Land timber &c. same as on the last mile

West On true line between Sec. 12 & 13
40.08 Set q^r. Sec. post at average dist. from which
a Beech 18 in. diam. - bear S 83 E 9 Lk. dist. 5
a Poplar 20 " " " S 79 W 23 " "
80.16 to Sec. Corner

North Between Sec. 11 & 12
30.00 a Poplar 20 in. diam. in the line
40.00 Set q^r. Sec. post, from which

M. N. R. M. E. 2^d. Mer. Indiana

ch. lkr.

- at Beech 12 in. diam. - bear N 34 E 27 lkr. dist. 8
 a Do. 20 " " " S 48 E 5 " "
 56.50 a watercourse 8 lkr. wide run S. E.
 76.80 at Beech 12 in. diam. in the line
 80.00 Set post cor. to Sec. 1, 2, 11 & 12, for which
 a Beech tree 15 in. diam. stands for the post
 This mile over hilly 3^d. rate land, timber Oak
 Beech, Poplar and Sugar.

East On Random between Sec. 1 & 12

- 3.12 a Watercourse 10 lkr. wide run S.
 22.50 a Small watercourse run S 10 E
 40.00 Set temp. q. Sec. post
 46.50 a watercourse 12 lkr. wide run S 30 E
 56.50 a Do. 16 " " " S 35 E
 80.40 Intersected the N & S. line 98 lkr. N. of post
 This mile over hilly 3^d. rate land, timber Oak,
 Beech, Poplar & Sugar tree

West On true line between Sec. 1 & 12

- 40.20 Set q. Sec. post at average dist. from which
 a Beech 8 in. diam. - bear N 75 W 5 lkr. dist. 8
 a Do. 8 " " " S 85 E 23 " "
 80.40 to Sec. Corner

West Between Sec. 2 & 11

- 12.00 a watercourse 7 lkr. wide run S. E.
 13.30 at Beech 14 in. diam. in the line
 40.00 Set q. Sec. post, from which
 a Sugar 12 in. diam. - bear S 72 W 15 lkr. dist. 8
 a Beech 18 " " " N 71 E 21 " "
 43.85 a watercourse 20 lkr. wide run South
 45.21 Intersected the Boundary line & Set post, from which
 an Elm 12 in. diam. - bear N 47 W 3 lkr. dist. 8
 a Do 10 " " " S 42 E 21 " "
 3^d. rate land, Oak, Beech, Poplar & Sugar tree.

T.M.N. R. 11 E. 2nd Mer. Indiana 119

ch. 2nd lky.

North Between Sec. 1 & 2.

- 8.20 a watercourse 8 lky, wide runs S 30 E.
 13.35 a Gum 20 in diam. line tree
 36.00 a watercourse 10 lky, wide runs S.E.
 40.00 Set of. Sec. post, from which
 a Sugar 3 in. diam. bears N 20 W 9 lky. dist. of
 a Beech 4 " " " S 13 W 13 " "
 61.70 a Beech 12 in. diam. in the line
 78.82 Intersected the N. boundary 110 lky. W. of post
 Set post Cor. to Sec. 1 & 2, from which
 a Beech 10 in. diam. bears N 74 E 15 lky. dist. of
 a Do. 10 " " " S 45 W 11 " "
 Over Level 2nd rate land, timber Oak, Beech
 Poplar, Sugar tree & Ash
 April 6th 1811.

William Ludlow,
Deputy Surveyor

Comp.

North Between Sec. 33 & 34

- 17.68 a Beech 24 in. diam. in the line
 40.00 Set of. Sec. post, from which
 a Sugar 20 in. diam. bears N 4 E 14 lky. dist. of
 a Do. 13 " " " S 18 E 9 " "
 80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
 a Poplar 36 in. diam. bears N 6 W 34 lky. dist. of
 a Beech 15 " " " S 14 E 20 " "
 Land broken 2nd rate, timber Beech, Sugar, Ash,
 Poplar &c. undergth Spice

East On Land^m between Sec. 27 & 34

- 40.00 Set Temp^y. of. Sec. post
 62.50 Intersected the Boundary line 166 lky. N. of post
 Land very hilly 3rd rate, Beech, Hickory, W. Oak
 underbrush Dogwood &c.

West Corrected between Sec. 27 & 34

M. N. R. M. E. 2^d Mer. Indiana

Ch. lks.

39.93 Set q^r. Sec. post at average dist. from which
 a Beech 20 in. diam. bear N 47° 30' lks. dist. &
 a Sugar 12 " " " S 40° E 14 " "
 79.86 to Sec. Corner

North Between Secs. 27 & 28

9.75 a Spring Course—
 32.83 a Maple 22 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 5 in. diam. bear N 5° E 18 lks. dist.
 a Sugar 20 " " " S 47° W 8 " "
 74.32 a Beech 18 " "
 80.00 Set post Cor. to Secs. 21, 22, 27, 28, from which
 a Beech 6 in. diam. bear N 62° E 17 lks. dist. &
 an Ash 6 " " " S 67° W 8 " "
 Land very broken 3^d rate, Beech, Ash, Sugar,
 underbrush Dogwood & Spice

East On Land^m between Secs. 22 & 27

27.35 a Stream 13 lks. wide Course N.E.
 40.00 Set temp^t. q^r. Sec. post
 42.00 a Stream 30 lks. wide Course South
 74.80 Intersected boundary line 316 lks. N. of post
 Land hilly 3^d rate, Beech, Ash, Sugar, Much Spice

West Corrected between Secs. 22 & 27

39.50 Set q^r. Sec. post, at average dist. from which
 a Beech 6 in. diam. bear N 7° E 10 lks. dist. &
 a Do. 6 " " " S 87° W 18 " "
 79.00 to Sec. Corner

September 17th 1819

North Between Secs. 22 & 23

10.72 (from boundary) Set q^r. Sec. post, from which
 a Beech 14 in. diam. bear South 13 lks. dist. &
 a Do. 5 " " " N 47° W 26 " "

121

M. N. R. M. E. D. Mer Indiana

Ch. Lk.

- 45.75 a Hickory 26 in. diam.
 63.00 a Stream 10 lks. wide Course East
 50.72 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 8 in. diam. bears East 18 lks. dist. &
 a do. 10 " " " S 49° W 10 " "
 Land very hilly, 3^d rate, Hickory, R & W. Oak, Beech,
 undergrowth Spice & Dogwood

East On Rand. between Sec. 14 & 23
 8.71 Intersected the Boundary line 140 lks. N. of post
 West Corrected between Sec. 14 & 23
 8.71 to Sec. Corner.

North Between Sec. 14 & 15
 0.30 a Sugar 20 in. diam.
 40.00 Set q. Sec. post, from which
 a Beech 14 in. diam. bears N 39° W 29 lks. dist. &
 a do. 5 " " " S 39° E 7 " "
 50.00 the appearance of a very good stone quarry
 62.00 a Beech 24 in. diam.
 66.50 a Stream 50 lks. wide Course E. rocky bottom
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 an Ironwood 5 in. diam. bears N 68° W 10 lks. dist. &
 a do. 7 " " " N 61° E 25 " "
 Broken & poor, except the Creek bottom, 3^d rate
 timber R & W. Oak, Beech &c. underg. Spice

East On Rand. between Sec. 11 & 14 (to the old boundary)
 22.50 Intersected the Boundary line 313 lks. North of post
 Land very broken, 3^d rate
 West Corrected between Sec. 11 & 14
 22.50 to Sec. Corner. September 18th 1819

North Between Sec. 10 & 11
 0.90 an Ash 14 in. diam.
 40.00 Set q. Sec. post, from which

T11 N - R11 E. 2nd Mer. Indiana

Ch. lks.

- a Beech 6 in. diam. bear S70 W 9 lks. dist. 5
 a W. Oak 15 " " " N61 E 8 " "
 41.70 a Hickory 24 " "
 80.00 Set post, Cor. to Sec. 2, 3, 10 & 11, from which
 a Sugar 16 in. diam. bear N78 W 8 lks. dist. 8
 a Do. 6 " " " N73 E 4 " "
 Hilly 3rd rate, - last half part broken 2nd rate
 W. Oak, Hickory, Beech, Sugar, Dogw. & Spice

- East Between Sec. 2 & 11 on Rand.
 35.60 Intersected the Boundary line 300 lks. N. of post
 Land &c. same as on the last mile
 West Corrected between Sec. 2 & 11
 35.60 to Sec. Corner.

North Between Sec. 2 & 3, T11 N. R11 E.

- 17.27 a Cherry 17 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 8 in. diam. bear N39 W 12 lks. dist. 5
 a Do. 5 " " " S22 E 14 " "
 72.66 Intersected the N. boundary 73 lks. West of post, set
 post* Cor. to Sec. 2 & 3, from which
 a Hickory 11 in. diam. bear N51 E 20 lks. dist. 5
 a Beech 10 " " " S58 W 11 " "
 *the Sec. Cor. post is a Beech 4 inches diameter
 First half mile broken 3rd rate - last 1/2 mile level
 2nd rate inclining to wet, Beech, Hickory, Sugar, ash
 W. Oak, underbrush, Dogwood & Spice

North Between Sec. 21 & 22

- 31.91 a Beech 14 in. diam.
 40.00 Set of Sec. post from which
 a Beech 10 in. diam. bear N50 E 4 lks. dist. 5
 a Poplar 30. " " " S66 W 7 " "
 43.18 a Beech 22 " "
 57.18 a Stream 30 lks. wide Course S. E. rocky bottom

123

S. M. N. R. M. Co. 2^d. Mer. Indiana

Ch. Lk.

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 24 in. diam. bear N 67 W 4 lks. dist. of
a Sugar 12 " " " N 85 E 18 lks. "
First half mile broken 2^d. rate last 1/2 mile hilly
3^d. rate land.

East On Rand^m. between Sec. 15 & 22

40.00 Set temp. p. of Sec. post

79.00 Intersected the N & S. line 260 lks. N. of post
Land very hilly 3^d. rate, R. & W. Oak, Beech, Sugar, Ash &c.

West Corrected between Sec. 15 & 22

39.50 Set p. of Sec. post at average dist. from which
a Beech 15 in. diam. bear S 84 E 25 lks. dist. of
an Ash 24 " " " S 53 N 4 " "

79.00 to Sec. Corner

North Between Sec. 15 & 16

18.56 a Poplar 48 in. diam.

40.00 Set p. of Sec. post, from which
a Beech 4 in. diam. bear S 74 E 9 lks. dist. of
a Do. 7 " " " N 67 W 23 " "

54.63 a Beech 13 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 6 in. diam. bear N 65 W 15 lks. dist. of
a Do. 4 " " " N 67 E 15 " "
First 1/2 mile level inclining to wet last 1/2 mile rolling
2^d. rate, Beech, Ash, Poplar, Spruce &c.

East On Rand^m. between Sec. 10 & 15

19.00 a Stream 10 lks. wide Course S. E.

32.16 a Do. 34 " " " S. E.

79.11 Intersected the N & S. line 440 lks. North of post
Land very hilly 3^d. rate, Beech, Sugar, W. Oak, R.
Oak, whitebush, Dogwood, Spruce & Hazel

T.M.N. - R.M.E. 2^d. Mer. Indiana

Ch. lks.

West Corrected between Sec. 10 & 15

39.55 1/2 Set q^r. Sec. post at average dist. from which
a Sugar 10 in. diam. bear N 16 E 11 lks. dist. &
a Beech 15 " " " N 32 W 30 " "

79.11 to Sec. Corner

North Between Sec. 9 & 10

8.25 a Gum 24 in. diam.

28.00 a Stream 10 lks. wide Course West

40.00 Set q^r. Sec. post, from which
a Beech 20 in. diam. bear N 30 E 17 lks. dist. &
a Do. 6 " " " N 4 W 9 " "

55.30 a Spring Course

65.40 a Spring

69.90 a Beech 24 in. diam.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10 from which
a Poplar 12 in. diam. bear N 18 E 7 lks. dist. &
a Cherry 12 " " " S 57 W 11 " "Land very hilly 3^d. rate, Beech, Hickory, W. Oak
Sugar, undergth. Dogwood. Sept. 19th. 1819.East On Rand^m. between Sec. 3 & 10

28.10 a Stream 30 lks. wide Course S.

33.40 a Spring Course -

40.00 Set temp^l. q^r. Sec. post78.89 Intersected the E. & S. line 100 lks. N. of post
Land Broken 2^d. rate, Beech, Ash, W. Oak,
Sugar, undergth. Spice.

West Corrected between Sec. 3 & 10

39.44 1/2 Set q^r. Sec. post at average dist. from which
a Beech 14 in. diam. bear S 12 E 26 lks. dist. &
a Walnut 11 " " " N 81 W 6 " "

78.89 to Sec. Corner.

North Between Sec. 3 & 4, T.M.N. - R.M.E.

Ch^d. lks.

- 5.90 a Poplar 12 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Sugar 7 in. diam. bray N19W13 lks. dist. &
 a Beech 5 " " " S5W10 " "
 54.10 a Stream 25 lks. wide Course S.E.
 69.50 Intersected the N. boundary 179 lks. N. of post, at
 post Cor. to Sec. 3 & 4, from which
 a Poplar 36 in. diam. bray S62W12 lks. dist. &
 a Beech 4 " " " N84E32 " "
 Land hilly, 3^d. rate, Sugar, Beech & Poplar

North Between Sec. 32 & 33, T.M.N. R11 E.

- 20.60 a Stream 20 lks. wide Course E.
 26.50 a Beech 12 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 20 in. diam. bray N47W28 lks. dist. &
 a Do. 5 " " " S33E7 " "
 45.39 a Beech 21 " "
 68.60 a Spring Course -
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 6 in. diam. bray N31W17 lks. dist. &
 a Sugar 12 " " " S70W12 " "
 Land hilly, 3^d. rate, Beech, Ash, Sugar, undg. Spruce

East On Range between Sec. 28 & 33

- 40.00 Set temp. q^r. Sec. post
 40.40 a Stream 30 lks. wide Course South
 52.20 a Do. 11 " " " S.W.
 79.64 Intersected the N. d. line 296 lks. S. of post
 Land very hilly & brushy 3^d. rate, Beech, Ash,
 W. Oak, much Spruce

West Corrected between Sec. 28 & 33

- 39.82 Set q^r. Sec. post at average dist. from which
 a Hickory 16 in. diam. bray S9W20 lks. dist. &
 a Sugar 7 " " " N76W17 " "

T.M.N. S.W.E. 2nd Mer. Indiana

ch. lks

79.64 to Section Corner

North Between Sec. 28 & 29

13.25 a Beech 30 in. diam.

40.00 Set gr. Sec. post, from which

an Ash 8 in. diam., bray S 76° W 8 lks. dist. &

ambrosia, 3 " " " N 88° E 12 " "

41.30 a Poplar 60 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which

a Sassafras 14 in. diam., bray S 37° W 19 lks. dist. &

a Sugar 14 " " " N 27° W 20 " "

Sand broken 2nd rate Beech, Ash, Poplar, Sugar,
Spice & Dogwood

East On Rand. between Sec. 21 & 28

5.74 a Stream 17 lks. wide Course South

35.63 a Do 9 " " " S. E.

40.00 Set temp. gr. Sec. post

79.92 Intersected the N & S. line 75 lks. S. of post

Sand broken 2nd rate, Beech, Ash, Hickory & Spice

West Cor. to between Sec. 21 & 28

39.96 Set gr. Sec. post at average dist. from which

a Beech 10 in. diam., bray S 56° W 21 lks. dist. &

a Do. 12 " " " N 40° E 21 " "

79.92 to Sec. Corner

North Between Sec. 20 & 21

34.20 a R. Oak 24 in. diam.

40.00 Set gr. Sec. post, from which

an Ash 12 in. diam., bray N 49° E. 18 lks. dist. &

a Do. 12 " " " N 47° W 16 " "

46.16 a Stream 8 lks. wide Course N. E.

52.25 a Do. 14 " " " S. E.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which

a Beech 4 in. diam., bray S 23° E 5 lks. dist. &

T.M.N. R.M.E. 2^d. Mer. Indiana

127th

Ch. 1st l^y.

a Sugar 12 in. diam. brang N 34 W 10 l^y. dist. 1
Land rolling 2^d. rate, Beech, Ash, Sugar & Spice

East On Rand^m. between Sec. 16 & 21

40.00 Set temp^y. q^r. Sec. post

66.25 a Stream 20 l^y. wide Course South

78.72 Intersected the N & S. line 167 l^y. N. of post
Land rolling 2^d. rate Soil thin, Beech, Ash
W. Oak, Sugar, and 1st. Spice.

West Corrected between Sec. 16 & 21

39.36 Set q^r. Sec. post at average dist. from which
at Beech 10 in. diam. brang N 23 E 27 l^y. dist. 8
a No. 10 " " " S 39 W 23 " "

78.72 to Sec. Corner

North Between Sec. 16 & 17

21.98 a Beech 12 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 12 in. diam. brang N 55 E 13 l^y. dist. 8

a No. 4 " " " S 55 W 22 " "

41.88 an Ash 20 " "

62.75 a Stream 15 l^y. wide Course E.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which

a Beech 8 in. diam. brang N 20 W 22 l^y. dist. 8

a No. 8 " " " S 73 E 9 " "

Part broken & part level inclining to be wet 3^d.
rate, Beech, Ash, Poplar, Sugar, Spice

September 20th 1819

East On Rand^m. between Sec. 9 & 16

19.00 a Stream 20 l^y. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post

79.75 Intersected the N & S. line 36 l^y. S. of post

Land broken 2^d. rate, Beech, Ash, Sugar & Spice

T^hN R^hE 2^d Mer. IndianaCh^l 1/2 lks.West Connected between Sec^s 9 & 1639.87 Set q^r Sec. post at average dist. from which
a Sugar 12 in. diam. bear N 24 W 20 lks. dist. of
a No. 18 " " " S 62 E 12 " "

79.75 to Sec. Corner.

North Between Sec^s 28 & 9

21.75 a Stream 20 lks. wide Course S. E.

25.15 a Hickory 12 in. diam.

40.00 Set q^r Sec. post, from which
a Sugar 12 in. diam. bear N 64 E 14 lks. dist. of
a Beech 6 " " " S 49 W 12 " "80.00 Set post Cor. to Sec^s 4, 5, 8 & 9, from which
a Beech 14 in. diam. bear N 83 E 28 lks. dist. of
a W. Oak 15 " " " N 69 W 16 " "First 1/2 mile broken 2^d rate - last 1/2 level 2^d rate
Soil thin, Beech roots, large high timber as beforeEast On Land 7^m between Sec^s 4 & 940.00 Set q^r Sec. post temporarily

68.73 a Stream 19 lks. wide Course South

78.73 Intersected the N & S. line 2.50 lks. N. of post
Land broken 2^d rate, Beech, Ash etc.West Connected between Sec^s 4 & 939.36 1/2 Set q^r Sec. post at average dist. from which
a W. Oak 13 in. diam. bear N 53 E 8 lks. dist. of
a No. 20 " " " S 63 W 36

78.73 to Sec. Corner

North Between Sec^s 4 & 540.00 Set q^r Sec. post, from which
a Beech 36 in. diam. bear N 45 W 16 lks. dist. of
an Elm 12 " " " S 70 E 34 " "66.28 Intersected N. boundary 92 lks. E. of post
Set post Cor. to Sec^s 4 & 5, from which

129

M. N. R. M. E. 2ⁿ. Mer. Indiana

Ch. 2. 1/2

a Sugar 12 in. diam. bray West 8 lks. dist. &
 a Beech 5 " " " N 36 E 11 " "
 Land broken & very brushy 2^d rate, Beech, Ash
 Poplar, W. Oak, Sugar, underg^d. Spice

North Between Secs. 31 & 32

14.25 a Stream 25 lks. wide Course S. E.

27.16 a Beech 10 in. diam.

40.00 Set g^d. Sec. post from which
 a Beech 9 in. diam. bray S 40 E 25 lks. dist. &
 a No. 9 " " " N 40 W 34 " "

48.00 a Poplar 36 in. diam.

80.00 Set post cor. to Secs. 29, 30, 31 & 32, from which
 a Beech 13 in. diam. bray N 33 W 8 lks. dist. &
 a No. 6 " " " N 89 E 15 " "
 Land broken 2^d rate, Beech, Ash, Poplar, underg^d.
 Spice - part fallen timber.

East On Land between Secs. 29 & 32

40.00 Set temp. g^d. Sec. post

51.75 a Stream 24 lks. wide Course South

79.50 Intersected the N & S. line at the post
 Land broken & very brushy 2^d rate, Beech, Poplar,
 Ash, underg^d. Spice.

West Connected between Secs. 29 & 32

39.75 Set g^d. Sec. post at average dist. from which
 a Beech 6 in. diam. bray S 32 W 11 lks. dist. &
 a No. 11 " " " N 43 E 19 " "

79.50 to Sec. Corner

West Between Secs. 30 & 31

5.80 a Sugar 11 in. diam.

40.00 Set g^d. Sec. post, from which
 a Cherry 9 in. diam. bray S 35 E 19 lks. dist. &
 a Sugar 6 " " " N 31 W 15 " "

T.M.N. R.M.E. 2nd Mer. Indiana

Ch. 2. 16.

54.15 a Stream 11 lks. wide Course S. E.

57.56 Intersected the W. boundary 314 lks. S. of post
 Set post Corner to Sec. 30 & 31, from which
 a Beech 6 in. diam. bear S 7 E 10 lks. dist. &
 a Hickory 16 " " " N 7 W 4 " "
 Sand broken 2nd rate, Beech, Ash, Sugar &
 undergrowth Spice — September 21st 1819

North Between Sec. 29 & 30

28.25 a Beech 15 in. diam.

40.00 Set q^r. Sec. post, from which
 a Sugar 15 in. diam. bear S 52 W 4 lks. dist. &
 a Beech 11 " " " N 21 E 38 " "

41.35 a Stream 15 lks. wide Course E.

46.36 a Sugar 16 in. diam.

46.54 a Stream 8 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 7 in. diam. bear N 30 W 13 lks. dist. &
 a Dogwood 6 " " " S 6 E 30 " "
 Sand broken 2nd rate, Beech, Sugar, Ash,
 undergrowth Spice.

East On Land^m. between Sec. 20 & 29

7.50 a Stream 25 lks. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post

77.95 intersected the N & S. line 10 lks. S. of post
 Sand broken 2nd rate, Beech, Ash, Sugar, Spice

West Corrected between Sec. 20 & 29

38.97 $\frac{1}{2}$ Set q^r. Sec. post at average dist. from which
 a Beech 36 in. diam. bear N 28 W 10 lks. dist. &
 a Ho. 8 " " " S 35 W 7 " "

77.95 to Sec. Corner

West Between Sec. 19 & 30

3.57 a Beech 17 in. diam.

T.M.N. R.N. Co. 2^d. Mer. Indiana

ch. lks.

- 5.87 a Spring Course
 40.00 Set q^r. Sec. post, from which
 a Poplar 60 in. diam. bear S 87 E 36 lks. dist. &
 a Beech 24 " " " N 67 W 39 " "
 57.92 Intersected W. boundary 312 lks. S. of post
 Set post Cor. to Sec. 19 & 20, from which
 a Beech 18 in. diam. bear N 77 W 20 lks. dist. &
 a Do. 12 " " " N 84 E 12 " "
 Land broken 2^d. rate, Beech, Ash, Poplar, Spice
-

North Between Sec. 19 & 20

- 2.90 a Spring Course
 4.84 a Stream 25 lks. wide Course S. E.
 37.00 a Do. 13 " " " South
 40.00 Set q^r. Sec. post, from which
 a Sugar 4 in. diam. bear N 11 E 22 lks. dist. &
 a Beech 24 " " " N 32 W 7 " "
 45.55 a Beech 14 " "
 66.75 a Stream 14 lks. wide Course S.
 80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 10 in. diam. bear N 11 E 11 lks. dist. &
 a Do. 4 " " " S 50 W 14 " "
 Land broken 2^d. rate, Beech, Ash, Poplar,
 Sugar, underbrush Spice.
-

East On Rand. between Sec. 17 & 20

- 40.00 Set temp. q^r. Sec. post
 78.00 Intersected the N & S. line 182 lks. N. of post
 First $\frac{1}{2}$ mile level inclining to west 2^d. rate last
 $\frac{1}{2}$ mile broken 2^d. rate, Beech, Ash, Poplar
-

West Corrected between Sec. 17 & 20

- 39.00 Set q^r. Sec. post at average dist. from which
 a Beech 24 in. diam. bear S 33 W 32 lks. dist. &
 a Gum 6 " " " N 24 W 27 " "
 78.00 to Sec. Corner.

M. N. R. N. E. 2^d Mer. Indiana

ch. l. l. l.

West Between Sec. 18 & 19

3.25 a Stream 13 lks. wide Corner South

33.82 a Do. 16 " " " South

37.57 a Beech 7 in. diam.

40.00 Set q. Sec. post from which

a Beech 9 in. diam. bear S 69° W 11 lks. dist. &

a Sugar 6 " " " S 58° E 8 " "

56.90 Intersected N. boundary 26 lks. S. of post

Set post Cor. to Sec. 18 & 19, from which

a Beech 5 in. diam. bear is the Corner

a Do. 24 in. diam. bear N 91° W 8 lks. dist. &

a Do 7 " " " S 22° W 22 " "

Land Broken 2^d rate

North Between Sec. 17 & 18

1.11 a Beech 11 in. diam.

40.00 Set q. Sec. post, from which

a Beech 17 in. diam. bear S 9° E 30 lks. dist. &

a Do. 20 " " " N 40° W 6 " "

56.46 a W. Oak 36 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 6 in. diam. bear S 22° E 19 lks. dist. &

a Do. 16 " " " N 39° W 32 " "

Land level inclining to wet 2^d rate, Beech
Ash, underbrush Spice

East On Land. between Sec. 8 & 17

40.00 Set temp. q. Sec. post

77.97 Intersected the N & S. line 13 lks. N. of post

Land level inclining to be wet 2^d rate, Beech
Ash, Hickory, &c.

West Connected between Sec. 8 & 17

38.98 Set q. Sec. post at average dist. from which

a Sugar 16 in. diam. bear N 27° W 4 lks. dist. &

a Sassafras 17 " " " S 24° W 10 " "

M. N. R. E. 2^d Mer. Indiana

133

ch. 2^{ly}

77.97 to Sec. Corner

West Between Sec. 7 & 18

18.34 a Walnut 30 in. diam.

39.25 a Stream 16 lks. wide Course S.

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bray N 32 E 19 lks. dist. of
a Do. 9 " " " S 15 W 9 " "

45.53 a Beech 18 " "

55.60 Intersected the N. boundary 234 lks. S. of post
Set post Cor. to Sec. 7 of 18, from which

a Beech 12 in. diam. bray N 55 W 22 lks. dist. of
an Ash 30 " " " S 73 E 10 " "

Land rolling & rich 1st rate, Ash, Poplar, Walnut.
Sugar, undergth. Spice

North Between Sec. 7 & 8

16.17 an Ash 24 in. diam.

40.00 Set q. Sec. post, from which
an Ash 24 in. diam. bray N 20 E 31 lks. dist. of
a Beech 20 " " " S 14 E 11 " "

80.00 Set post Cor. to Sec. 5, 6, 7 of 8, from which
a Sugar 5 in. diam. bray S 47 W 9 lks. dist. of
a Beech 24 " " " N 44 E 23 " "

First 1/2 mile level inclining to west 2^d rate
last 1/2 mile rolling 1st rate Beech, Ash, Poplar.

East On Land^m. between Sec. 5 & 8

40.00 Set temp. q. Sec. post

78.00 Intersected the N & S line 30 lks. S. of post

Land rolling, 1st rate, Beech, Ash, Walnut & Spice

West Correlated between Sec. 5 & 8

39.00 Set q. Sec. post at average dist. from which
a Beech 20 in. diam. bray S 61 E 17 lks. dist. of
a Do. 24 " " " N 88 W 30 " "

T.M.N. R.N.E. 2^d. Mer. Indianach. 1st Mer.78.00 to Sec. Corner September 22^d. 1819

West Between Sec. 6 & 7

40.00 Set of Sec. post ~~at corner~~ ^{from which}
 a Beech 24 in. diam. bears East 11th Mer. dist. 8
 a No. 7 " " " 159 N 32 " "

40.50 at Beech 24 " "

53.30 Intersected the W. boundary 105th Mer. S. of post
 Set post * Cor. to Sec. 6 & 7, for which

* an Ash 10 in. diam. is the post, from which
 a Beech 6 in. diam. bears S 79 E 11th Mer. dist. 8
 a No. 6 " " " N 64 W 28 " "

Land rolling 2^d rate, timber Beech, Ash, Poplar
 Hickory, Sugar, undergth Spice.

North Between Sec. 5 & 6, T.M.N. R.N.E.

24.36 an Ash 24 in. diam.

40.00 Set of Sec. post, from which
 a Sugar 20 in. diam. bears N 12 W 42th Mer. dist. 8
 an Ash 22 " " " N 31 W 25 " "

64.58 Intersected the N. boundary 123th Mer. west of post
 Set post Cor. to Sec. 5 & 6, from which
 a Beech 9 in. diam. bears S 86 E 27th Mer. dist. 8
 a No. 24 " " " N 86 W 28 " "

Land rolling 1st rate, Beech, Ash, Poplar, Sugar,
 Walnut, undergth Spice. September 23^d. 1819

No variation Marked - run at a var. of 6.30!

John Hendricks,
 Deputy Surveyor

Combr.

I certify that the foregoing transcript of field notes of
Township N. N. North, of Range N. N. East of the second
Principal Mer. Indiana, has been compared with the
original notes in this office, and found to be correct.
Surveyor General's Office
Cincinnati, July 26. 1844

William Johnston
Surveyor General